


Demo User  
geneXplain GmbH  
info@genexplain.com

Data received on 30/10/2024 ; Run on 18/11/2024 ; Report generated on 20/11/2024

Genome Enhancer release 3.5 (GKDB version 20.0, CIViC version 01 October 2022)




## MTB Report - From somatic variants to treatment options

### GENE-DRUG PREDICTIVE ASSOCIATIONS

This report is based on the following genomics data, which was submitted for the current study in the Genome Enhancer pipeline:

<b>Experiment: short-term survival</b>
<a href="#">CRC_variants</a>



Annotation diagram of experimental data used in the study.

The studied pathology, which was selected during the Genome Enhancer analysis launch, was *Colorectal Neoplasms*. This disease matches the following pathology, which was used as the input parameter for the [Molecular Tumor Board \(MTB\)](#) method to produce this report: *Colorectal Cancer*.

The [Variant Effect Predictor](#) analysis was applied to the input vcf track, which was submitted for the analysis in the *Experiment: short-term survival* condition. All mutations, which were found in the studied data in comparison to the reference genome, were annotated with the predicted effects. The gene-drug predictive associations were further retrieved with the use of the [MTB method](#).

**Gene-drug predictive associations method used in the MTB report:** somatic variants of the studied input data (mutations, amplifications, deletions, rearrangements) were searched in curated databases of predictive biomarkers ([GKDB](#), [CIViC](#)) and reported according to their clinical evidence (Levels of Evidence).

Levels of Evidence: Findings are classified into six levels of evidence combining the axis A-B and the axis 1-2-3. Level A means evidence was found in the same cancer type as the one being studied. Level B means evidence was found in any other cancer type. On the 1-2-3 axis, level 1 means the evidence is supported by drug approval organizations or clinical guidelines, level 2 contains a clinical evidence (clinical trials, case reports) and level 3 consists of a preclinical evidence.

The report summarizes all predictive associations in a detailed table. The results are sorted by the level of evidence (A1-B1-A2-B2-A3-B3). To allow a quick interpretation, the type of the association (response, resistance) is colored (green, red) and new variants are displayed in gray.

Table 1. Report for Colorectal Cancer

Gene	Variant	Disease	Known Variant	Association	Drugs	Evidence	PMID	Level
BRCA1	S370I S1512I S1511I S408I S1533I S1470I S1510I S1486I S366I S1465I S362I S1216I S3I S1471I S1534I S3...	Epithelial Ovarian Cancer	any variant (LoF)	response	olaparib	FDA-approved	FDA	B1
BRCA1	S370I S1512I S1511I S408I S1533I S1470I S1510I S1486I S366I S1465I S362I S1216I S3I S1471I S1534I S3...	Epithelial Ovarian Cancer	any variant (LoF)	response	rucaparib	FDA-approved	FDA	B1
BRCA2	V2466A V2343A	Epithelial Ovarian Cancer	any variant (LoF)	response	olaparib	FDA-approved	FDA	B1
BRCA2	V2466A V2343A	Epithelial Ovarian Cancer	any variant (LoF)	response	rucaparib	FDA-approved	FDA	B1
POLE	V411L V384L	Colon Cancer	any variant (LoF)	response	PD1 blockade	case report	28188185	A2
RNF43	L418M L291M L377M R343H R216H R302H P231L P104L P190L I47V	Colon Cancer	any variant (GoF)	response	porcupine inhibitors	case report	ENA 2015 (abstract C45)	A2
GSTP1	I105V	Colorectal Cancer	I105V	sensitivity/response	FOLFOX Regimen	clin. trials	19922504	A2
PTEN	R130Q R303Q R115Q R161Q C65S	Colon Cancer	any variant (LoF)	resistance	anti-EGFR mAbs	late trials	21163703, 19398573	A2
PTEN	R130Q R303Q R115Q R161Q C65S	Pancreas Adenocarcinoma	any variant (LoF)	response	AKT inhibitors	case report	22025163	B2

TSC1	M322T M201T M271T M325T	angiosarcoma	any variant (LoF)	response	everolimus	case report	26859683	B2
TSC1	M322T M201T M271T M325T	Renal Cell Carcinoma	any variant (LoF)	response	everolimus	case report	24622468, 26859683, ASCO 2015 (abstr 11010), ASCO 2015 (abstr 4519)	B2
PTPRD	R995C	angiosarcoma	any mut. (GoF)	response	IGF-1R antibodies	case report	23800680	B2
PTEN	R130Q R303Q R115Q R161Q C65S	Endometrial Cancer	any variant (LoF)	response	PARP inhibitors	case report	21468130, 20944090	B2
BRCA1	S370I S1512I S1511I S408I S1533I S1470I S1510I S1486I S366I S1465I S362I S1216I S3I S1471I S1534I S3...	Pancreas Adenocarcinoma	any variant (LoF)	response	PARP inhibitors	case report	25366685, 25719666	B2
B2M	L41W F82V C45G F34V	Melanoma	any variant (LoF)	resistance	PD1 blockade	case report	27433843	B2
BRCA2	V2466A V2343A	Melanoma	any variant (LoF)	response	PD1 blockade	case report	26997480	B2
PTEN	R130Q R303Q R115Q R161Q C65S	Prostate Cancer	any variant (LoF)	response	PI3K beta inhibitor	case report	ASCO 2014 (abstr 2514)	B2
BRCA2	V2466A V2343A	Pancreas Adenocarcinoma	any variant (LoF)	response	platinum	case report	25719666	B2
TSC1	M322T M201T M271T M325T	Endometrial Cancer	any variant (GoF)	response	tensirolimus	case report	27016228	B2
BRCA1	S370I S1512I S1511I S408I S1533I S1470I S1510I S1486I S366I S1465I S362I S1216I S3I S1471I S1534I S3...	Cancer	any variant (LoF)	response	WEE1 inhibitors	case report	25964244	B2

XRCC1	Q399R	Cervical Cancer	Q399R	sensitivity/response	Carboplatin	clin. trials	16875718	B2
XRCC1	Q399R	Cervical Cancer	Q399R	sensitivity/response	Cisplatin	clin. trials	16875718	B2
PTEN	R130Q R303Q R115Q R161Q C65S	Melanoma	any variant (LoF)	resistance	BRAF inhibitors in BRAF mutant tumor	early trials	10.1200/PO.16.00054	B2
TP53	V157A V25A V64A V150A V118A P72R P33R	Inflammatory Breast Carcinoma	any mut. (LoF)	resistance	CDK4/CDK6 inhibitor abemaciclib	early trials	27217383	B2
TP53	V157A V25A V64A V150A V118A P72R P33R	Acute Promyelocytic Leukemia	any mut. (LoF)	response	decitabine	early trials	27959731	B2
TP53	V157A V25A V64A V150A V118A P72R P33R	myelodysplastic syndrome	any mut. (LoF)	response	decitabine	early trials	27959731	B2
TSC1	M322T M201T M271T M325T	Urothelial Carcinoma	any variant (LoF)	response	everolimus	early trials	22923433	B2
PTEN	R130Q R303Q R115Q R161Q C65S	Prostate Cancer	any variant (LoF)	response	everolimus	early trials	23582881	B2
FGFR2	D101N D84N	Bile Duct Adenocarcinoma	multiple, any mut. (GoF)	resistance	FGFR inhibitors	early trials	28034880, ASCO 2017 (abstr 2500)	B2
PTEN	R130Q R303Q R115Q R161Q C65S	Endometrial Cancer	any variant (LoF)	no response	mTOR inhibitors	early trials	21788564, 23238879	B2
FANCA	L63V G809D G501S T266A T234A H209R T211A	Prostate Cancer	any variant (LoF)	response	PARP inhibitors	early trials	26510020	B2
BRCA1	S370I S1512I S1511I S408I S1533I S1470I S1510I S1486I S366I S1465I S362I S1216I S3I S1471I	Inflammatory Breast Carcinoma	any variant (LoF)	response	PARP inhibitors	early trials	20609467, 25366685	B2

	S1534I S3...							
BRCA1	S370I S1512I S1511I S408I S1533I S1470I S1510I S1486I S366I S1465I S362I S1216I S3I S1471I S1534I S3...	Prostate Cancer	any variant (LoF)	response	PARP inhibitors	early trials	19553641, 25366685, 26510020	B2
BRCA2	V2466A V2343A	Inflammatory Breast Carcinoma	any variant (LoF)	response	PARP inhibitors	early trials	20609467	B2
BRCA2	V2466A V2343A	Prostate Cancer	any variant (LoF)	response	PARP inhibitors	early trials	26510020	B2
BRCA1	S370I S1512I S1511I S408I S1533I S1470I S1510I S1486I S366I S1465I S362I S1216I S3I S1471I S1534I S3...	Epithelial Ovarian Cancer	any variant (LoF)	response	PARP inhibitors + chemotherapy	early trials	22307137, ASCO 2012 (abstr 1009)	B2
BRCA2	V2466A V2343A	Epithelial Ovarian Cancer	any variant (LoF)	response	PARP inhibitors + chemotherapy	early trials	22307137, ASCO 2012 (abstr 1009)	B2
PTEN	R130Q R303Q R115Q R161Q C65S	Melanoma	any variant (LoF)	resistance	PD1 inhibitors	early trials	26645196	B2
BRCA1	S370I S1512I S1511I S408I S1533I S1470I S1510I S1486I S366I S1465I S362I S1216I S3I S1471I S1534I S3...	Inflammatory Breast Carcinoma	any variant (LoF)	response	platinum agents	early trials	25847936	B2
BRCA2	V2466A V2343A	Inflammatory Breast	any variant	response	platinum agents	early trials	25847936	B2

		Carcinoma	(LoF)						
PTEN	R130Q R303Q R115Q R161Q C65S	Cancer	any variant (LoF)	response	sirolimus	early trials	ASCO 2013 (abstr 2532)	B2	
BRCA1	S370I S1512I S1511I S408I S1533I S1470I S1510I S1486I S366I S1465I S362I S1216I S3I S1471I S1534I S3...	Inflammatory Breast Carcinoma	any variant (LoF)	response	veliparib + cisplatin	early trials	26801247	B2	
BRCA2	V2466A V2343A	Inflammatory Breast Carcinoma	any variant (LoF)	response	veliparib + cisplatin	early trials	26801247	B2	
TP53	V157A V25A V64A V150A V118A P72R P33R	Epithelial Ovarian Cancer	any variant (GoF)	response	WEE1 inhibitors + carboplatin	early trials	ASCO2015 (abstr 2507)	B2	
PTEN	R130Q R303Q R115Q R161Q C65S	Inflammatory Breast Carcinoma	any variant (LoF)	response	everolimus + trastuzumab + chemotherapy (HER2 ampl)	late trials	27091708	B2	
BRCA1	S370I S1512I S1511I S408I S1533I S1470I S1510I S1486I S366I S1465I S362I S1216I S3I S1471I S1534I S3...	Epithelial Ovarian Cancer	any variant (LoF)	response	platinum agents	late trials	22406760, 22711857	B2	
BRCA2	V2466A V2343A	Epithelial Ovarian Cancer	any variant (LoF)	response	platinum agents	late trials	22406760, 22711857	B2	
FBXW7	D511Y D591Y D424Y D473Y	B-cell Adult Acute Lymphocytic Leukemia	any variant (LoF)	response	steroids in early setting	late trials	20861909	B2	
APC	V1822D V1840D V1716D V1804D	Colon Cancer	any variant (LoF)	sensitivity	tankyrase inhibitors	preclinical	22440753, 23539443	A3	
PIK3CB	R321Q	Head And Neck Carcinoma	any variant	sensitivity	AKT inhibitor	preclinical	23619167	B3	

PIK3CB	R321Q	Head And Neck Carcinoma	(GoF) any variant (GoF)	sensitivity	mTORC1/2 inhibitors	preclinical	23619167	B3
FBXW7	D511Y D591Y D424Y D473Y	Cancer	any variant (LoF)	resistance	anti-tubulin agents	preclinical	21368834	B3
PTEN	R130Q R303Q R115Q R161Q C65S	Inflammatory Breast Carcinoma	any variant (LoF)	sensitivity	ATM inhibitor	preclinical	27397505	B3
SUZ12	E347K E324K	Cancer	any variant (LoF)	sensitivity	BET inhibitors	preclinical	25119042	B3
FAT1	E4156G S89G V482I V862L K4059N D2309N S404R	Head And Neck Carcinoma	any mut. (LoF)	sensitivity	BET inhibitors	preclinical	27397505	B3
ERCC6	M1097V Q1413R M1044V Q1360R	Epithelial Ovarian Cancer	any variant (LoF)	sensitivity	cisplatin	preclinical	25634215	B3
MSH3	A980T I79V A989T A1045T	Cancer	any variant (LoF)	sensitivity	DNA-PKcs inhibitors	preclinical	24556366	B3
RNF43	L418M L291M L377M R343H R216H R302H P231L P104L P190L I47V	Pancreas Adenocarcinoma	any variant (GoF)	sensitivity	FZD5 antibodies	preclinical	27869803	B3
SMARCB1	P6R P190R P245R	ovarian rhabdoid Cancer	any mut. (LoF)	sensitivity	HDAC inhibitors	preclinical	26920892	B3
PTEN	R130Q R303Q R115Q R161Q C65S	Melanoma	any variant (LoF)	resistance	MEK inhibitors in BRAF mutant tumors	preclinical	23039341	B3
TP53	V157A V25A V64A V150A V118A P72R P33R	Urothelial Carcinoma	any mut. (LoF)	sensitivity	mitomycin C	preclinical	27397505	B3
TP53	V157A V25A V64A V150A V118A P72R P33R	Urothelial Carcinoma	any mut. (LoF)	sensitivity	gemcitabine	preclinical	27397505	B3
TP53	V157A V25A V64A V150A V118A	Urothelial Carcinoma	any mut. (LoF)	sensitivity	doxorubicin	preclinical	27397505	B3



	P72R P33R							
STAG2	I1220L I1257L	Glioma	any variant (LoF)	sensitivity	PARP inhibitors	preclinical	24356817	B3
ATR	R2425Q R2022Q R2361Q M211T	Cancer	any variant (LoF)	sensitivity	PARP inhibitors	preclinical	23548269	B3
PTEN	R130Q R303Q R115Q R161Q C65S	Cancer	any variant (LoF)	sensitivity	PI3K pathway inhibitors	preclinical	21673091, 23287563, 21998291	B3
PTEN	R130Q R303Q R115Q R161Q C65S	Endometrial Cancer	any variant (LoF)	sensitivity	PI3K pathway inhibitors	preclinical	22662154	B3
PTEN	R130Q R303Q R115Q R161Q C65S	Epithelial Ovarian Cancer	any variant (LoF)	sensitivity	PI3K pathway inhibitors	preclinical	21632463	B3
PTEN	R130Q R303Q R115Q R161Q C65S	Inflammatory Breast Carcinoma	any variant (LoF)	sensitivity	PI3K pathway inhibitors	preclinical	23085766, 22932669	B3
PTEN	R130Q R303Q R115Q R161Q C65S	Thyroid Gland Papillary Carcinoma	any variant (LoF)	sensitivity	PI3K pathway inhibitors	preclinical	21289267	B3
INPP4B	R838C R653C	Inflammatory Breast Carcinoma	any variant (LoF)	sensitivity	PI3K pathway inhibitors	preclinical	23551093	B3
PTEN	R130Q R303Q R115Q R161Q C65S	Glioma	any variant (LoF)	sensitivity	PI3K pathway inhibitors (alone or in combination)	preclinical	21325073, 21191045, 17804702	B3
PTEN	R130Q R303Q R115Q R161Q C65S	Lung Acinar Adenocarcinoma	any variant (LoF)	sensitivity	PI3K pathway inhibitors (alone or in combination)	preclinical	23136191	B3
PTEN	R130Q R303Q R115Q R161Q C65S	Prostate Cancer	any variant (LoF)	sensitivity	PI3K pathway inhibitors + AR antagonists	preclinical	21575859	B3
PTEN	R130Q R303Q R115Q R161Q C65S	Epithelial Ovarian Cancer	any variant (LoF)	sensitivity	PI3K pathway inhibitors + MEK inhibitors	preclinical	21632463	B3
ATR	R2425Q R2022Q R2361Q M211T	Glioma	any variant (LoF)	sensitivity	temozolomide	preclinical	23960094	B3
SETD2	R2033Q R862Q A1252T R1999Q R676Q A1958T	Cancer	any variant (LoF)	sensitivity	WEE1 inhibitors	preclinical	ENA 2014 (abstr 211)	B3

A1592T  
R983Q  
A1880T  
R2077Q  
A1272T  
A864T  
A1346T  
R429Q  
A310T  
A...

The [MTB method](#) and the corresponding report structure were developed by Julia Perera-Bel in the research group of Prof. Dr. Tim Beißbarth at the University Medical Center Göttingen (UMG). Perera-Bel J, Hutter B, Heining C, et al. From somatic variants towards precision oncology: Evidence-driven reporting of treatment options in molecular tumor boards. *Genome Med.* 2018;10(1):18. Published 2018 Mar 15. doi:10.1186/s13073-018-0529-2).

**Disclaimer:** This report is intended for research use only and should not be used for medical or professional advice. GeneXplain GmbH makes no guarantee of the comprehensiveness, reliability or accuracy of the information contained in this report. You accept full responsibility for all risks associated with using of information, contained in this report.